



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 7 N

R 5 W

Township 7 North Range 5 West 2nd Mer. Ind.

C. L. South Boundary.

Met On Rand^m on N. side of sec. 36,
 20.00 To a creek 75 lbs. wide cor. South
 25.00 " " Do. " " " " N.
 35.00 " " Do. " " " " S.W.
 40.00 Set temp^y, post for q^r. sec. cor.
 80.00 Set post temp^y, cor. of sec. 35 & 36,
 Bottom land & the timber is sugar Bush
 Elm & ————— April 19th 1811.

Met On Rand^m on N. side of sec. 35,
 15.00 To a creek corner S.W.
 24.00 " the Do. " S.W.
 27.00 " a Pond 60 lbs. wide circular
 33.00 " a creek 150 lbs. wide cor. S.W.
 40.00 Set temp^y, q^r. sec. post
 65.00 To a creek 200 lbs. wide cor. N.
 80.00 Set temp^y, post cor. sec. 34 & 35
 Overflowed bottom. April 19th 1811.

Met On Rand^m on South side of sec. 34
 11.50 To a Creek 200 lbs. wide cor. South
 15.25 " the E. bank of White River 650 lbs.
 wide corner South
 40.00 Set temp^y, q^r. sec. post.
 60.00 The river runs close on the left
 80.00 Set temp^y, post cor. sec. 33 & 34
 Land rich bottom & timbered Elm & Walnut
 Buckeye &c. April 19th 1811.

Met On Rand^m on South side of sec. 33
 40.00 Set temp^y, q^r. sec. post
 80.00 Set temp^y, post cor. sec. 32 & 33.
 Good bottom land timbered Sugar Elm
 Walnut &c. a large prairie chiefly S. of line

T. 7 N. R. 5 W. 2nd. New. Ind.

West On Randow On South side of sec. 32
 25.00 Leave the prairie
 40.00 Set temp^y. g^r. sec. post,
 60.00 To E. side of prairie cor. Mt. 1.24 miles
 80.00 Set temp^y. post cor. to sec. 31 & 32
 Generally good land part prairie &
 part oak land, (cor. in prairie.)

West On Randow On South side of sec. 31
 30.00 Leave the prairie
 40.00 Set temp^y. g^r. sec. post,
 80.00 Set temp^y. Fown cor. post,
 81.25 Intersect W. boundary, 28.50 th. N. of
 temp^y. cor. where set post corner of
 Towns 6 & 7 N. Range 5 & 6 W. from which
 a B. Oak 12 in. dia. bears South 12 th. dist.
 & a Hickory 6 " " " N. W 19 " "
 Good land part prairie & part oak,

East On S. side of sec. 31 (Correct,)
 41.25 Set g^r. sec. post from which
 a W. Oak 24 in. dia. bears S 36 E 13 th. dist.
 & a W. Oak 24 " " " N 66 W 38 " "
 81.25 Set post cor. to sec. 31 & 32 from which
 no bearings, being in prairie,

East Correct On S. side of sec. 32,
 40.00 Set the g^r. sec. post from which
 a B. Oak 24 in. dia. bears S 4 W 12 th. dist.
 & a W. Oak 15 " " " N 68 E 53 " "
 80.00 Set post cor. to sec. 32 & 33 from which
 a Red Oak 24 in. dia. bears N 72 W 33 th.
 & an Elm 15 " " " S 3 E 58 "

East Correct On South side of sec. 33
 40.00 Set g^r. sec. post from which,

T. 7 N. R. 5 W. 2nd. New. Ind.

C. Sec. a Hackberry 18 in. dia. bears S 75 E 5 th.
 & a Honey Locust 16 " " " S 65 W 19 "
 80.00 Set a post cor. to sec. 33 & 34 from wh.
 a Hackberry 30 in. dia. bears N 74 E 20 th. dist.
 & a Buckeye 10 " " " N 52 W 16 " "

East Correct On South side of sec. 34
 40.00 Set the g^r. sec. post from which
 a Honey Locust 18 in. dia. bears S 10 E 6 th.
 & a Buckeye 14 " " " N 39 W 24 "
 80.00 Set a post cor. to sec. 34 & 35 from which
 a Walnut - bears S 79 E 8 th. dist. &
 an ash 8 in. dia. bears N 30 W 15 " "

East On the South side of sec. 35, (Correct,)
 40.00 Set g^r. sec. post from which
 a Hackberry 12 in. dia. bears S 67 E 18 th. dist.
 & an ash 16 in. dia. " " S 20 W 22 " "
 80.00 Set a post cor. to sec. 35 & 36 from which
 a R. Oak 36 in. dia. bears S 85 E 26 th. dist.
 & a W. Oak 30 " " " N 79 W 22 " "

East Correct On the South side of sec. 36
 40.00 Set g^r. sec. cor. post from which
 a Birch 30 in. dia. bears S 70 E 36 th.
 & a Sugarbelle " " " S 82 W 14 " dist.
 80.00 To the Fown corner, April 22nd 1811,
 Surveyed by Alex^r. Holmes, Dep. Sur.

East Boundary, Var.

North On the E. side of section 36
 25.00 To a Creek 75 th. wide cor. SW
 40.00 " a W. Oak 36 in. dia. g^r. sec. cor. tree
 80.00 Set post for cor. sec. 25 & 36 from wh.
 a Hickory 12 in. dia. bears S 68 E 5 th. dist

T. 7 N. R. 5 W. 2nd New Ind.

6. Le. 4 a W. Oak 17 in dia, bears N 20 E 33th lbs.
Level hollow land. April 16th 1811.

North On the E. side of sec. 25,
19.00 To a Creek 3 lbs. wide cr. W,
34.00 " " Do. 3 " " " W,
40.00 Set gr. sec. post from which
a Buck 16 in dia, bears S 63 W 14th lbs,
4 a Dogwood 6 in dia, " N 10 E 37 " dist,
40.00 To a Creek 5 lbs. wide cr. W,
66.00 " " Do. 15 " " " W,
80.00 Set a post cor. to sec. 24 & 25 from wh,
an Elm 10 in dia, bears N 21 E 12th lbs. dist,
4 a Maple 6 " " " S 5 E 14 " "
Land & timber same as before

North On the E. side of sec. 24
40.00 Set gr. sec. post from which
a Sugar 10 in dia, bears N 43 E 14th lbs. dist,
4 a Buck 30 " " " N 49 W 22 " "
47.00 To a Creek 10 lbs. wide cr. S. W,
80.00 Set a post cor. to sec. 13 & 24 from wh,
a Sugar 8 in dia, bears S 46 W 8th lbs. dist,
4 a Do. 16 " " " N 21 E 28 " "
Level rich land & the timber is Sugar
Buck, Poplar &c.

North On the East side of sec. 13.
5.00 To a Creek 3 lbs. wide cr. E,
12.00 " " Do. 3 " " " E,
35.00 " " Do. 3 " " " E,
40.00 Set gr. sec. post from which
a Maple 9 in dia, bears West 3 lbs. dist,
4 a W. Oak 16 " " " N 24 E 24 " "
80.00 Set a post cor. sec. 12 & 13 from which
a Hickory 12 in dia, bears N 54 W 14 lbs.

T. 7 N. R. 5 W. 2nd New Ind.

6. Le. 4 a Buck 16 in dia, bears S 50 E 49 lbs,
Hilly land, timber Buck Sugar & Poplar

North On the East side of sec. 13
20.00 To a Creek 3 lbs. wide cr. E,
40.00 Set gr. sec. cor. post from which
a Hickory 16 in dia, bears S 75 E 24th lbs. dist,
4 a Gum 16 " " " N 63 W 18 " "
80.00 Set a post cor. to sec. 17 & 12 from wh,
a Hickory 18 in dia, bears N 10 W 16 lbs. dist,
4 a Gum 24 " " " N 66 E 25 " "
Good Oak land -

North On the East side of sec. 1,
12.50 To a B. Oak 30 in dia, in the line,
39.50 " " Creek 5 lbs. wide cr. W,
40.00 Set gr. sec. cor. post from which
a Dogwood 5 in dia, bears S 60 W 18 lbs. dist,
4 a Buck 16 " " " N 24 E 8 " "
50.00 Crossed fresh blazes running S 65 W,
80.00 Set township, Township cor. post,
Land rich Oak land, April 16th 1811
Surveyed by Alex. Holmes, Dep. Sur.

North Boundary.
Var. 67.45 E.

West On the S. side of sec. 36 S 8 N 16.5 W
27.50 To a Creek 5 lbs. wide cr. N,
40.00 Set gr. sec. cor. post from which
an Ash 24 in dia, bears S 76 E 24th lbs. dist,
4 a Beech 24 " " " N 24 W 15 " "
71.00 To a Creek 5 lbs. wide cr. N,
80.00 Set a post cor. to sec. 35 & 36 from which
a Buck 18 in dia, bears N 72 E 38th lbs. dist,
4 a Do. 15 " " " N 82 W 41 " "
Good Oak land.

T. 7 N. R. 5 W. 2nd Mer. Ind.

West On the S. side of sec. 35 28th N 5 W.
 40.00 Set the gr. sec. cor. post from which
 a Buck 24 in. dia. bears N 30 E 31st N. dist,
 & a Do. 24 " " " N 48 W 35 " "
 62.50 To a creek 8 lks. wide cr. NW,
 80.00 Set a post cor. to sec. 34 & 35 from which
 a Sugar 18 in. dia. bears N 42 E 8 lks. dist,
 & a Sugar 16 " " " N 62 W 50 " "
 Full rate Sugar tree land,

West On the S. side of sec. 34 28th N 5 W,
 10.00 To a creek 8 lks. wide cr. NW,
 40.00 Set gr. sec. post from which
 a Hickory 16 in. dia. bears North 2 lks.,
 & a Do. 10 " " " N 64 E 15 " dist,
 43.50 To a creek 10 lks. wide cr. S. W.,
 51.50 To the E. side of White River
 April 18th 1811. — A. Holmes D. S.
 80.00 Set post for cor. sec. 33 & 34 from wh.,
 a Honey Locust 20 in. dia. bears N 42 E 50 lks. dist,
 & a Hackberry 12 " " " S 51 W 45 " "
 Good Oak land & bottoms,

West On the S. side of sec. 33 28th N 5 W
 40.00 Set gr. sec. post from which
 a Dogwood 5 in. dia. bears N 63 E 8 lks.,
 & a Hickory 8 " " " N 36 W 28 "
 72.00 To a creek 8 lks. wide NW cr.
 80.00 Set a post for cor. sec. 32 & 33 from wh.,
 a Gum 12 in. dia. bears S 49 W 3 lks.,
 & a Hickory 5 " " " N 42 E 41 "
 Good Oak land &

West On South^(boundary) of sec. 32 28th N 5 W
 40.00 Set gr. sec. post from which
 a Bl. Jack 5 in. dia. bears N 57 E 22 lks. dist,

T. 7 N. R. 5 W. 2nd Mer. Ind.

C. L. & a Hickory 20 in. dia. bears S 14 W 14 lks. dist,
 80.00 Set a post cor. to sec. 31 & 32 from wh.,
 no bearings. being no timber,

West On the South side of sec. 31 28th N 5 W
 40.00 Set gr. sec. post. no timber.
 80.00 Set temporary Town corner post,
 April 1811. Surveyed by —
 James Holmes D. S.
 For Alexander Holmes D. Surveyor,

West Boundary. Var.

North On the E. side of sec. 36 27th N 6 W
 40.00 Set gr. sec. post from which ~~no bearings~~
 corner in prairie on South side
 a Hickory 12 in. dia. bears N 36 E 32 lks.,
 & a Do. 12 " " " N 44 W 33 "
 80.00 Set a post cor. sec. 25 & 36 from wh.,
 a W. Oak 24 in. dia. bears North 5 31 lks. dist,
 being in a prairie —

North On the E. boundary of sec. 25 27th N 6 W
 40.00 Set gr. sec. post from which a
 W. Oak 36 in. dia. bears S 13 W 49 lks. dist,
 & a W. Oak 10 " " " N 37 E 56 " "
 80.00 Set a post cor. to sec. 24 & 25 from which
 a Hickory 16 in. dia. bears S 11 E 23 lks. dist,
 & a Do. 12 " " " N 48 E 22 " "
 Some Oak land, timber Oak Hickory &c,

North On the E. side of sec. 24 27th N 6 W
 38.00 Ran Indian path in barrens
 40.00 Set gr. sec. post from which
 a Hickory 18 in. dia. bears N 4 W 120 lks. dist,
 no other timber near,
 80.00 Set a post cor. to sec. 13 & 24 from wh.,

T. 7 N. R. 5 W. 2nd. Mer. Ind.

Co. L. a Walnut 12 in. dia. bears S 60 W 2 M. dist.,
 & an Elm 30 " " " N 17 E 21 " "
 Land all barrens -

North On the E. side of sec. 13 27 N 6 W
 13.50 To a creek 50 M. wide cr. S. E.,
 30.00 To a Red Oak 36 in. dia. in the line,
 40.00 Set gr. sec. post from which a
 Hickory 10 in. dia. bears S 39 W 7 M. dist.,
 & a Do. 16 " " " N 38 E 27 " "
 80.00 Set a post cor. to sec. 12 & 13 from which
 a B. Oak 30 in. dia. bears S 54 E 63 M. dist.,
 & a W. Oak 30 " " " North 76 " "
 Land rich & level. Oak Walnut & Elm &c.

North On the E. boundy. of sec. 12 27 N 6 W
 40.00 Set the gr. sec. post from which
 a Hickory 16 in. dia. bears S 1 W 48 M.
 & no other timber near
 80.00 Set a post cor. to sec. 1 & 12 from wh.
 a Hickory 16 in. dia. bears N 1 W 38 M. dist.,
 & a Do. 18 " " " S 70 W 40 " "
 prairie land. scattering timber

North On East side of sec. 12 27 N 6 W
 40.00 Set gr. sec. post from which
 a Hickory 16 in. dia. bears S 23 W 35 M.,
 & a W. Oak 16 " " " S 42 E 35 " dist.,
 81.00 Intersect N. boundy. 100 M. West of temp.
 post where set post cor. to sec. 1 & 12 from wh.
 54 E 6 W from which a
 a Hickory 24 in. dia. bears S 66 W 204 M. dist.,
 & a - no other timber near
 April 24th 1811. Surveyed by
 Alex. Holmes, Dep. Sur.

T. 7 N. R. 5 W. 2nd. Mer. Ind.

Co. L. Subdivisions, Var,
 North Between sections 35 & 36
 25.00 To a Buck 12 in. dia. in the line,
 40.00 Set gr. sec. post from which a
 Beech 12 in. dia. bears S 43 E 18 M. dist.,
 & a Sugar 14 " " " N 78 W 10 " "
 80.00 Set a post cor. sec. 25, 26, 35 & 36 from wh.
 a Buck 10 in. dia. bears S 89 E 15 M. dist.,
 & a Buck 6 " " " S 89 W 15 " "
 Land broken & the timber is Buck Sugar
 Walnut & Poplar - Und. 5th. Spruce &c.

East On Randon between sec. 25 & 36
 40.00 Set temp. gr. sec. post.
 73.00 To a Brook 10 M. wide cr. S. W.,
 79.86 Intersect E. boundy. of sec. at post.

West Correct the line between sec. 25 & 36
 39.93 Set gr. sec. post at av. dist. from which
 a W. Oak 18 in. dia. bears N 75 E 20 M. dist. &
 a Dogwood 8 " " " N 75 W 27 " "
 Over broken land. timber Buck Oak Hickory &c.
 & Und. 5th. Spruce & birch &c.
 79.86 To the section corner,

North Between sections 25 & 26,
 37.00 To a Buck 12 in. dia. in the line,
 34.26 " " Creek 115 M. wide cr. S. W.,
 40.00 Set gr. sec. post from which
 a Buck 18 in. dia. bears S 66 E 17 M. dist. &
 & a Do. 12 " " " N 10 E 17 " "
 80.00 Set a post cor. to sec. 23, 24, 25 & 26 from wh.
 a Hickory 12 in. dia. bears S 41 E 07 M. dist.
 & a Dogwood 4 " " " N 16 E 17 " "
 Over broken land timber Oak & Hickory
 Und. 5th. Spruce & Sassafras &c.

T. 4 N. R. 5 W. 2nd Mer. Ind. 2

East On Random between Sec. 18 & 12
79.86 To the E. line of sec. 12 1/2 m. N. of post

West Correct the line between Sec. 18 & 12
39.93 Set g^o sec. post from which
an Oak 24 in. dia. bears S 55° W 38 m.
& a Gum 8 " " " N 30° W 21 "
Over level land & the timber is Oak
 Hickory & N. G. Sassafras hickory &
79.86 To Sec. corner,

North Between sections 18 & 12
30.50 To a Beech 10 in. dia. in the line
40.00 Set g^o sec. post from which
an Oak 24 in. dia. bears N 60° E 14 m.
& a Beech 12 " " " N 60° E 14 "
60.00 To a No. 12 " " in the line,
80.60 To the N. boundry, 8 m. N. of post
where set post cor. Secs. 18 & 12 from wh.
a W. Oak 24 in. dia. bears - 50° W 7 m.
& a Beech 8 " " " - 50° E 14 "
Over level land timber Beech Walnut
Sugar & N. G. Spruce & Nov. 10th 1814

North Between sections 34 & 35
21.00 To a creek 150 m. wide cor. N. E.
35.50 " " Sycamore 48 in. dia. in line,
40.00 Set g^o sec. post from which
a Beech 14 in. dia. bears S 70° E 22 m.
& a Walberry 10 " " " N 62° W 25 "
49.50 To a Pond or Bayou 3 chs. wide S. W. 25.
80.00 Set post for cor. Sec. 26. 27. 34 & 35
a Walnut 36 in. dia. bears N 66° W 25 m. N. E.
& a Sugar 12 " " " S 59° E 18 " "
1 1/2 chs. low ground subject to overflow
Broken rich land good for farming

T. 4 N. R. 5 W. 2nd Mer. Ind. 2

East On Random between Sec. 26 & 35
22.00 To a creek 64 m. wide cor. N. E.

40.00 Set trap^g, g^o sec. post,
This 1/2 mile over level land, timber is
Beech, Oak Gum Poplar &
80.00 To the E. line of sec. 25 1/2 m. N. of post
This 1/2 mile is over broken land & the
timber is Sugar & N. G. Spruce &

West Correct the line between sec. 26 & 35
40.00 Set g^o sec. post from which
a Maple 18 in. dia. bears N 47° E 12 m.
& a Gum 10 " " " S 81° W 41 "
53.40 To a Sycamore 40 in. dia. in line,
80.00 To the section corner,

North Between sections 26 & 27
18.50 To a Beech 15 in. dia. in the line,
30.00 To a Branch 6 m. wide cor. E.
40.00 Set g^o sec. post from which
a Beech 18 in. dia. bears S 25° E 24 m. N. E.
& a No. 15 " " " N 74° W 30 " "
63.00 To a Branch 4 m. wide cor. S. W.
80.00 Set post for cor. Sec. 22. 23. 26 & 27
a Poplar 48 in. dia. bears S 50° E 30 m. N. E.
& a Gum 28 " " " N 80° W 21 " "
This mile is over broken land soil rich
& the timber Sugar Walnut Poplar & Spruce,

East On Random between sec. 23 & 36
7.50 To a Branch 4 m. wide cor. S. W.
40.00 Set trap^g, g^o sec. post
This mile over broken good farming
land timber Walnut Sugar &
80.03 Intersect E. line of Sec. 40 1/2 m. N. of post
This 1/2 is over level land rich soil

T. 7 N. R. 5 W. 2nd, New Ind.^a

Co. L. The timber is Walnut Sugar Poplar
 Mud. Gth. Spruce &c.

West Correct the line between sec. 23 & 24
 40.00 Set g^r. sec. post from which
 a Beech 26 in. dia. bears S 15 E 27th dist.
 Van Elm 15 " " N 66 W 28 " "
 80.03 To the sec. corner,

North Between sections 22 & 23.

24.20 To a Beech 18 in. dia. in the line,
 40.00 Set g^r. sec. post from which
 a Hickory 12 in. dia. bears S 20 W 6th dist.
 Va Do. 24 " " " S 71 E 42 " "
 80.00 Set post for. cor. sec. 15. 14. 22 & 23 from wh.
 a Sugar 10 in. dia. bears S 57 E 19th dist.
 Va Do. 14 " " " N 24 W 32 " "
 Land broken good soil for farming
 timber is Hickory, Oak Beech Poplar &c.
 Mud. Gth. Spruce &c. —

East On Random between sec. 14 & 23

40.00 Set temp^y. g^r. sec. post,
 80.08 To the E. line of sec. 40th dist. of post,
 Broken land. timber Oak, Beech &
 Hickory Mud. Gth. Spruce &c.,

West Correct the line between sec. 14 & 23

40.04 Set g^r. sec. post from which
 a Dogwood 8 in. dia. bears S 78 E 12th dist.
 Va Do. 6 " " " N 65 E 25 " "
 80.08 To the sections corner,

North Between sections 14 & 15

40.00 Set g^r. sec. post from which
 a W. Oak 30 in. dia. bears N 57 W 36th dist.

comp^d

T. 7 N. R. 5 W. 2nd, New Ind.^a

Co. L. Va Hickory 24 in. dia. bears S 77 E 7th dist.
 64.60 To a Beech 14 " " in the line,
 80.00 Set a post for cor. sec. 10. 11. 14 & 15 from wh.
 a Gum 8 in. dia. bears S 50 E 12th dist.
 Va Walnut 14 " " " N 85 W 29 " "
 This mile over broken land timber is
 Beech Oak &c. N. G. Hickory Dogwood &c. rich

East On Random between sec. 11 & 14

40.00 Set a temp^y. g^r. sec. post,
 80.00 To the E. bound^y. of sec. at post
 Land broken & timber is Oak Poplar &c.
 Mud. Gth. Sapling &c. good soil,

West Correct the line between sec. 11 & 14

40.00 Set g^r. sec. post from which,
 a Dogwood 8 in. dia. bears S 29 E 4th dist.
 Va Do. 4 " " " N 29 E 3 " "
 74.25 To a Poplar 36 " " in the line,
 80.00 To the sec. corner,

North Between sections 10 & 11

40.00 Set g^r. sec. post from which
 a Sugar 8 in. dia. bears S 70 E 12th dist.
 Va Poplar 8 " " " East 21 " "
 80.00 Set a post cor. sec. 2. 3. 10 & 11 from which
 a Beech 24 in. dia. bears S 57 E 9th dist.
 Va Sugar 12 " " " West 25 " "
 This mile over level land soil good
 timber Beech Sugar Poplar Oak &c.
 Under growth Spruce &c.

East On Random between sec. 3 & 11

40.00 Set temp^y. g^r. sec. post
 79.80 To the E. line of sec. 12th dist. of post
 Land level timber Oak Poplar Hickory &c.

T. 7 N. R. 5 W. 2nd Mer. Ind.^a

61.21 Undergrowth, Spruce, good soil.

West Correct the line between sec. 27 & 28
 39.90 Set g. sec. post from which
 a Sugar 15 in. dia. bears N10W23M,
 & a Buck 12 " " S45E13 "
 This 1/2 mile is over level land & the
 timber is Oak Poplar Hickory &c.

North Between sections 27 & 28

36.50 To a Poplar 48 in. dia. in the line,
 40.10 Set g. sec. post from which
 a Buck 15 in. dia. bears N22E6M dia.,
 & a Sugar 12 " " S3W32 " "
 45.00 To a Branch 8 in. wide cr. N.W.,
 80.32 Put out N. boundary, 5 in. W. of post,
 where set post cor. sec. 27 & 28 from wh.
 an Elm 12 in. dia. bears S25W19M,
 & a Hickory 5 " " S35E17 "
 Broken land good soil. Oak & Poplar, &c.

North Between sections 33 & 34

1.50 To a Walnut 36 in. dia. in the line,
 33.50 To a Do. 30 " " " "
 40.00 Set g. sec. post from which
 W. Walnut 15 in. dia. bears S31W31M,
 & a Hackberry 18 " " S26W41 "
 69.75 To a Buckeye 15 " " in the line,
 80.00 Set a post cor. to sec. 27, 28, 33 & 34
 a Hackberry 18 in. dia. bears S85W8M,
 & a W. Walnut 12 " " S53E38 "
 This mile is over low ground, rich
 soil & the timber is Walnut Sugar
 Hackberry &c. and 2nd Spruce &c.

East On Random between sec. 27 & 34

T. 7 N. R. 5 W. 2nd Mer. Ind.^a

15.05 To White river 625 lbs. wide set post in
 a direction with the post on the opposite
 bank from which a
 Sycamore 10 in. dia. bears S70E3M dia.,
 & a Maple 12 " " S26W14 "

West Between sections 27 & 34

40.00 Set g. sec. post from which
 a Buck 15 in. dia. bears N50E24M dia.,
 & a Do. 8 " " N46W22 " "
 58.50 To White River set post on bank,
 an Elm 8 in. dia. bears S26W16M dia.,
 & a Do. 6 " " S26E10 " "
 Level land timber Walnut Buck Poplar
 & Sugar & Undergrowth, Spruce & Poplar & cawpaw, &c.

North Between sections 27 & 28,

7.28 To a Walnut 24 in. dia. in the line,
 23.70 To White river set post from which
 a Sugar 12 in. dia. bears N16E15M dia.,
 & a Sycamore 20 " " S40W42 " "
 Over low ground timber Walnut Hackberry
 Ash &c. and 2nd Spruce & cawpaw, &c.

South Between sections 27 & 28,

40.00 Set g. sec. post from which
 a Hackberry 14 in. dia. bears S13W35M dia.,
 & an Elm 6 " " S24E31 " "
 50.00 To White River set post from which
 a Cottonwood 8 in. dia. bears S60E49M,
 & a Do. 8 " " S70W31 "
 Over river low ground timber Hackberry
 Walnut Sycamore &c. N.S. Spruce &c.

West Between sections 22 & 27

25.50 To an Elm 15 in. dia. in the line,

T. 7 N. R. 5 W. 2nd New Ind.

- 40.00 Set gr. sec. post from which
a Maple 6 in. dia. bears S12 W 15 1/2 mi. dist
To an ash 10 " " " N22 E 15 " "
- 60.00 To a Buck 36 in. dia. in the line,
80.00 Set a post cor. to Secs. 21, 22, 27 & 28,
a Hackberry 12 in. dia. bears N86 E 15 1/2 mi.
To a Do. 8 " " " S33 W 11 "
Over level land & the timber is Buck
Walnut Poplar Hackberry H. W. G. Spice &c.

North Between sections 21 & 22,

- 3.00 To a Buck 24 in. dia. in the line,
40.00 Set gr. sec. post from which
a Sugar 14 in. dia. bears N19 W 12 mi.
To a Buck 8 " " " S39 E 12 "
49.00 To a Creek 16 mi. wide cr. W.
80.00 Set a post cor. Secs. 15, 16, 21 & 22,
a Buck 15 in. dia. bears S3 E 25 mi.
To a Do. 14 " " " NW 25 " dist.
Over level land & the timber is Buck
Poplar, Sugar &c. Nut, Gth, Spice &c.

East On Random Between Secs. 15 & 22

- 25.00 To a Creek 10 mi. wide cr. South
80.18 To the E. line of Sec. 50 mi. N. of post,

West Correct the line between Secs. 15 & 22

- 40.09 Set gr. sec. post from which
a Gum 14 in. dia. bears S73 E 26 mi.
To a Do. 8 " " " S76 W 21 "
80.18 To the Sec. corner,
Land broken, & the timber Poplar
Oak Buck &c. Nut, Gth, Spice &c.

North Between sections 15 & 16

- 40.00 Set gr. sec. post from which

T. 7 N. R. 5 W. 2nd New Ind.

- Co. L. a Buck 8 in. dia. bears N41 E 31 1/2 mi. dist
To a Sugar 10 " " " S65 W 12 " "
- 69.00 To a Branch 15 mi. wide cr. E. (Nov. 18, 1894)
78.00 " " Do. 10 " " " S E,
80.00 Set a post cor. Secs. 9, 10, 15 & 16 from wh.
a Sugar 12 in. dia. bears S53 E 13 1/2 mi. dist.
To a Do. 10 " " " N61 W 14 " "
Over broken land & the timber is ash
Poplar Buck Sugar &c. N. G. Spice &c.

East On Random between sections 10 & 15

- 8.50 To a Branch 10 mi. wide cr. South
40.00 Set a temp. gr. sec. post
75.50 To a Branch 10 mi. wide cr. S. W.
80.18 To the W. boundary, 35 mi. N. of post,

West Correct the line between Secs. 10 & 15

- 40.09 Set the gr. sec. post from which
an Elm 10 in. dia. bears S20 W 30 mi.
To a Spruce 6 " " " S50 E 18 "
Over level land & the timber is Sugar
Buck Poplar &c. Nut, Gth, Spice &c.
80.18 To the sec corner,

North Between sections 9 & 10,

- 34.00 To a Buck 14 in. dia. in the line,
40.00 Set gr. sec. post from which
a Sugar 14 in. dia. bears S41 E 9 mi. dist &
To a Buck 18 in. dia. bears N55 W 22 mi. dist.
44.25 To a Do. 24 " " in the line,
80.00 Set a post cor. Secs. 3, 4, 9 & 10 from which
a Buck 15 in. dia. bears N86 E 40 mi. dist.
To a Sugar 6 " " " S41 W 12 " "
Over level land & the timber is Buck
Sugar, Walnut ash &c. N. G. Spice &c.

S. 7 N. R. 5 W. 2nd. Mer. Ind. 4

East On Random between sec. 3 & 10
 40.00 Set temp^y g^r. sec. post
 80.00 To the E. line of sec. 30 N. of post

West Correct the line between sec. 3 & 10
 40.00 Set g^r. sec. post from which
 a Sugar Elm dia, bears S 24 E 10 M.
 & a Boxwood 8 " " " N 57 W 14 M. dist.
 Over level land & the timber is Sugar
 Buck &c. & the Mud & the is Spruce,
 80.00 To the sec. corner,

North Between sections 3 & 4

1.00 To a Poplar 30 in. dia. in the line,
 40.00 Set the g^r. sec. post from which
 a Mulberry 10 in. dia, bears N 25 E 13 M.
 & a Red bud 10 " " " S 58 W 31 "
 58.00 To White River & set post from which
 a Hackberry 14 in. dia, bears S 88 E 14 M.
 & a Boxelder 8 " " " West 20 M. dist.
 79.60 To N. boundy. at post,
 Over low-grounds timber Walnut Hackberry
 &c. Mud, & the, Spruce &c.,

North Between sections 32 & 33,

7.50 To a Hackberry 18 in. dia. in the line
 40.00 Set g^r. sec. post from which
 a Bl. Oak 24 in. dia, bears S 85 W 85 M.
 & a Do. 24 " " " S 22 E 68 "
 This 1/2 mile over low grounds, & the timber
 Sycamore Hackberry & Walnut, subject to overflow,
 80.00 Set a post over to sec. 28, 29, 32 & 33,
 an Oak 18 in. dia, bears N 22 W 6 M. dist.
 & a Bl. Oak 10 " " " S 80 W 118 " "
 This 1/2 mile over broken land soil
 good & the timber is Oak &c. N. G. Hickory,

S. 7 N. R. 5 W. 2nd. Mer. Ind. 4

6. L. Oak grape vines &c

East On Random between sec. 28 & 33,
 40.00 Set temp^y g^r. sec. post
 80.00 Entered E. line of sec. at post,
 Level land good rich soil & the
 timber is Walnut Poplar &c. N. G. Spruce,

West Correct the line between sec. 28 & 33
 40.00 Set the g^r. sec. post from which
 a Hickory 14 in. dia, bears S 24 E 12 M.
 & a Hackberry 8 " " " N 57 W 14 "
 60.00 To a W. Oak 24 " " in the line,
 80.00 To the section corner,

North Between sections 28 & 29

20.00 To a Br. Oak 24 in. dia, in the line,
 40.00 Set g^r. sec. cor. post from which
 a Hickory 24 in. dia, bears N 41 E 24 M.
 & an Oak 18 " " " S 71 W 45 "
 This mile over broken land soil
 good & the timber is Oak Hickory &c.,
 80.00 Set a post for cor. sec. 20, 21, 28 & 29 -
 a Bl. Oak 24 in. dia, bears N 29 E 9 M. dist.
 & a Hickory 9 " " " N 83 W 63 " "
 This half mile over broken land
 timber Oak &c. N. G. Oak grape vines &c.,

East Between sections 31 & 28,

40.00 Set g^r. sec. post from which
 a Hickory 15 in. dia, bears S 76 E 18 M. dist.
 & a Sugar 24 " " " N 35 E 40 " "
 41.69 To White river 6.07 M. wide on, et,
 59 M. N. of post on opposite bank
 Set post from which a
 a Hickory 9 in. dia, bears S 77 W 22 M.

T. 7 N. R. 5 W. 2nd. New Ind.^a

6. Le. Saw Ark 12 in. dia. bears N 77 E 6 ft. h.
Low ground timber sugar Walnut,
Buck. Elm Locust &c

West Between sections 20 & 28,
11.00 To a Hickory 14 in. dia. in the line
32.20 To White River set post from which
a Maple 6 in. dia. bears N 15 W 12 ft. h. dia.
& a Do. 8 " " " S 5 W 5 " "
Over low ground timber Hackberry
Walnut Sycamore. M. G. Spruce &c.

North Between sections 20 & 21
10.15 To a Bl. Oak 24 in. dia. in the line
31.70 To a Bl. Oak 24 " " " "
40.00 Set g. n. s. cor. post from which
a Bl. Oak 24 in. dia. bears N 44 W 26 ft. h.
& a Hickory 10 " " " N 11 E 38 "
50.00 To a Walnut 30 in. dia. in line,
52.55 To a Bayou 315 ft. wide from
N. W. to E. continues its width to the river,
63.50 To a Cottonwood 36 in. dia. in line
74.50 a Bayou en. et. E,
80.00 Set post in Bayou cor. Secs. 16 & 21
a Maple 6 in. dia. bears N 88 W 216 ft. h. dia.
& a Do. 6 " " " N 83 W 201 " "
Over low ground subject to overflow
timber walnut Hackberry Cottonwood &c,
and 2th. Spruce &c. rich soil,

East Between sections 16 & 21
40.00 Set g. n. s. cor. post from which
a Cottonwood 15 in. dia. bears N 11 E 32 ft. h.
& a Do. 15 in. dia. bears N 78 E 24 ft. h. dia.
This half mile over rich low ground
& the timber Hackberry Locust Sugar

T. 7 N. R. 5 W. 2nd. New Ind.^a

6. Le. & Buckeye. M. G. Spruce & Pawpaw &c,
63.50 To White River 649 ft. wide en. et. W.
Set post. opposite line on other side,
a Cottonwood 15 in. dia. bears N 10 E 7 ft. h. dia.
& a Locust 12 " " " S 63 W 8 " "
This park over low ground subject to
overflow. Sycamore Cottonwood timber &c.

West Between sections 16 & 21
10.13 To White River set post from which
an Elm 10 in. dia. bears S 26 E 13 ft. h. dia.
& an Ark 10 " " " N 56 W 14 " "
Over low ground, timber Sycamore Elm,

North Between sections 16 & 21,
40.00 Set g. n. s. post from which
a Hackberry 30 in. dia. bears N 21 W 34 ft. h.
& a Do. 12 " " " S 8 W 45 "
47.50 To a Locust 24 " " in the line,
63.50 " " Do. 48 " " " " "
80.00 Set a post cor. to Secs. 8, 9, 16 & 21
a Locust 30 in. dia. bears N 30 W 8 ft. h.
& a Span. Oak 15 in. dia. " S 25 E 21 "
Over low ground, rich soil & the
timber is Locust Walnut Hackberry &c
and 2th. Spruce &c

East On ~~Recreation~~ between secs 9 & 16
4.40 To the White River 20 ft. N. of post
on opposite bank & set post from which
an Elm 12 in. dia. bears N 38 W 27 ft. h.
& a Hackberry 12 " " " S 27 E 8 " dia.

West Between sections 9 & 16
1.00 To a Branch 6 ft. wide en. et. W
9.50 To a Poplar 36 in. dia. in line,

T. 7 N. R. 5 W. 2nd Mer. Ind.^a

- 40.00 Set gr. sec. post from which
a Laurel 18 in. dia, bears N 6 E 31 M,
& a Mulberry 8 " " S 20 W 41 "
This $\frac{1}{2}$ mile is broken land rich soil
timber. Poplar, Sugar, Beech, Mud, gth, & ash,
67.13 To White river & set post from which
a Willow 8 in. dia, bears S 81 E 13 M. 8 in. dia,
& a Cottonwood 8 " " South 6 " "
this line low gth, subject to overflow,
timber. Walnut, Locust, Sycamore Elm,
75.00 Over River to opposite bank of river
5 chs. 87 M, wide cr. N.W.

North Between sections 8 & 9

- 35.50 To a B. Oak 24 in. dia, in the line,
40.00 Set gr. sec. post from which
a Hickory 10 in. dia, bears N 22 W 38 M,
& a Hickory 16 " " " S 40 W 10 "
80.00 Set a post cor. to sec. 4, 5, 8 & 9 from wh.,
a B. Oak 12 in. dia, bears N 72 E 4 M. dia,
& a Black 8 " " " N 52 W 27 " "
this mile except 17 chs. fine over level
land timber Oak &c, Mud & th is
Oak & Hickory first 17 chs. over rich land,

East On line between sec. 4 & 9

- 40.00 Set gr. sec. cor. post from which
a Willow 12 in. dia, bears S 18 E 10 M,
& a Loc. 10 " " " N 72 W 27 "
This $\frac{1}{2}$ mile over broken Oak land
mud, gth, Oak & Hickory &c

West Between sec. 4 & 9

- 34.50 To White River set post from wh.,
a Hickory 12 in. dia, bears S 40 W 13 M,
& an Oak 18 " " " N 25 " "

T. 7 N. R. 5 W. 2nd Mer. Ind.^a

See. Over low ground & the timber is
Elm, Sycamore bottom, & Spice Mud, gth,

North Between sections 4 & 5

- 9.35 To a W. Oak 18 in. dia, in the line,
40.00 Set the gr. sec. post from which
a B. Oak 6 in. dia, bears S 55 W 21 M. dia,
& a Hickory 6 " " " S 74 E 52 " "
68.50 To a Black Oak 24 in. dia, in line,
79.00 To the N. boundry, 37 M. E. of post
where set post for cor. sec. 4 & 5 from which
a Poplar 10 in. dia, bears S 25 W 20 M. dia,
& a W. Oak 30 " " " N 18 E 13 " "
This mile is over broken land good for
farming, & the timber is Oak Hickory &c,
& the mud gth is Oak & Hickory &c,

North Between sections 31 & 32, (in prairie)

- 30.00 Enter timbered land
40.00 Set gr. sec. post from which a W. Oak 18 in. dia, N 10 W 125 M,
79.60 To a B. Oak 24 in. dia, bears South 30 M. dia,
80.00 Set post cor. { & a B. Oak 24 " " " N 25 W 35 " "
Sec. 29 & 31-32 }
This mile over prairie & brush, & the
timber is Oak &c, Mud, gth, is Hickory & Oak,

East On Random between sec. 29 & 32

- 40.00 Set temp. gr. sec. post
79.90 Intersect E. line of sec. 29 M. N. of post
This mile all in brushy barrens.

West Correct the line between sec. 29 & 32

- 39.95 Set gr. sec. post, in barrens, no bearings
79.95 To the sec. corner,

North Between sections 29 & 30

- 40.00 Set gr. sec. post from which

T. 7 N. R. 5 W. 2nd Mer. Ind.

- 61.50 a Hickory 14 in dia, bears N 34 W 40 in. dia,
 & a W. Oak 12 " " S 31 E 35 " "
 75.25 To a B. Oak 20 " " in the line,
 80.00 Set a post cor. sec. 19, 20, 29 & 30 from which
 a B. Oak 15 in dia, bears N 43 W 70 in. dia,
 & a W. Oak 25 " " S 33 E 24 " "
 Over level land timbered Oak & N. G. Hickory &c.

- East On Random between sections 20 & 29
 40.00 Set temp. g. sec. post from which
 79.80 Turned E. line of sec. 10 in. off post

- West Correct the line between sec. 20 & 29
 39.90 Set g. sec. post from which
 a B. Oak 18 in dia, bears N 35 W 40 in. dia,
 & a Do. 20 " " S 33 E 56 " "
 79.80 To sec. corner. No. 21st 1814.
 Open barren land timbered Oak &c. N. G. Oak &c.

- North Between sections 19 & 20
 30.75 To a Hickory 8 in dia, in the line,
 37.00 " " Creek 40 in wide cor. S. E.,
 40.00 Set g. sec. cor. post from which
 an Elm - in dia, bears N 10 E 9 in dia,
 & a Mulberry 8 " " S 20 W 30 " "
 40.50 To a Creek 50 in wide cor. N. W.,
 42.50 " " Do. 40 " " E.,
 80.00 Set a post cor. sec. 17, 18, 19 & 20
 a Hickory 12 in dia, bears N 28 W 24 in.,
 & a Do. 8 " " N 3 W 14 " dia,
 Land level & the timber is Hickory & Oak
 the mud & the sapagras &c.

- East On Random between sec. 17 & 20
 40.00 Set temp. g. sec. post
 44.25 To a Creek 200 in wide cor. S. E.,

T. 7 N. R. 5 W. 2nd Mer. Ind.

- 80.20 To the E. line of sec. 25 in. N. of post

- West Correct the line between sec. 17 & 20
 40.10 Set g. sec. post from which
 an Elm 18 in dia, bears N 34 W 40 in.,
 & a Hickory 14 " " S 84 E 30 in dia,
 This mile is level & the timber is Elm
 Oak & Hickory, mud, gth. Spice &c.
 80.20 To the section corner,

- North Between sections 17 & 18,

- 7.00 Enter a prairie
 20.00 To a Creek 30 in wide cor. N. W.
 40.00 Set g. sec. post in prairie
 80.00 Set a post cor. sec. 7, 8, 17 & 18,
 in prairie tolerable soil -

- East On Random between sec. 8 & 17
 40.00 Set temp. g. sec. post
 65.00 Leave prairie & enter timber
 79.95 To the E. line of sec. 25 in. N. of post

- West Correct the line between sec. 8 & 17
 37.99 Set g. sec. post in prairie
 79.95 To the sec. corner, Good soil,

- North Between sections 7 & 8,

- 17.50 Enter timbered land
 35.00 Enter prairie
 40.00 Set g. sec. post in prairie
 80.00 Set post cor. sec. 5, 6, 7 & 8 in prairie
 Land same as on last mile,

- West Between sections 5 & 8,
 40.20 Set g. sec. post in prairie
 80.40 To the W. line of sec. 8, at post.

T. 7 N. R. 5 W. 2nd. Mer. Ind.

C. L. This line over level prairie & Kanaw
& good soil,

Met Between sections 6 & 7

40.00 Set gⁿ. sec. post in prairie

50.50 Enter timbered land

80.40 To the W. bound^y, set post from wh.
a Hickory 20 in dia, bears S10E 18th,
& a Do. 24 " " S52W 22nd " " " " " "
This mile prairie & Kanaw, & the timber
is Oak & Hickory, mud & the Hickory & L,

Met Between sections 7 & 18,

17.50 Enter timbered land

40.00 Set gⁿ. sec. post in prairie

80.85 To the W. bound^y, 30th M. N. of post
set post cor. sec. 7 & 18 from which
an Elm 20 in dia, bears S55E 8th M. dia,
& a B. Oak 36 " " South 6 " " "
This mile is Kanaw & prairie
timber is Oak. Mud & the Hickory & L,
Indifferent soil —

Met Between sections 18 & 19

40.00 Set gⁿ. sec. post from which

a W. Oak 18 in dia, bears N21W 35th M. dia,
& a Do. 15 " " " N58E 12 " " "

43.00 To a Do. 24 " " in the line,

73.27 " " Creek 40 M. wide cor. South

81.25 " the W. bound^y, where set post
cor. sec. 18 & 19 from which
an Oak 12 in dia, bears N68E 25th M. dia
& a Hickory 12 " " " N43W 19 " " "
This mile is level & the timber is
Oak & Hickory N. G. sp. sapas, & L,
Tolerable soil

T. 7 N. R. 5 W. 2nd. Mer. Ind.

Met Between sections 19 & 30

40.00 Set gⁿ. sec. post from which

a W. Oak 18 in dia, bears N41E 13th M.

& a Hickory 6 " " " S36W 35 " "

81.50 To the W. bound^y, 25th M. N. of post
where set post cor. sec. 19 & 30 —

a Hickory 14 in dia, bears S35E 32th M.

& a Do. 15 " " " S88E 45 " "

Land level & the timber is Oak &
Hickory. & the mud, & the sapas, & L,

Met Between sections 30 & 31

34.00 Enter a prairie

40.00 Set gⁿ. sec. post in prairie

81.70 To the W. boundary line in prairie

Land level & the timber is Oak &
mud & the sapas, indifferent soil,

Meanders of White River, Begin
at South Bound^y, at post in S. side
of sec. 34. Each side of River there

Come to L. N. stream —

Up stream —

In sec. 34

N35E 20.00

N89W 11.50

N34W 10.00

N67W 8.50

N81W 11.00

S70W 8.50

S61W 18.50

N86E 6.50

N62E 5.50

N27E 7.50

N27W 7.50

N4E 5.00

N26E 17.00

N9E 13.00

To post between sec. 31 & 34

Course C. L. Meandering continued.

N142°E 23.00 In sec. 27
 N52°E 19.46 To a branch 4 M. wide on N.E.
 N52°E 30.00
 N21°E 10.00
 N252°E 10.50
 N112°W 8.30
 N40°W 7.26
 N83°W 12.22
 N46°W 18.60
 N142°W 2.50
 N22°E 18.50
 N32°W 4.25 To foot in line between sec. 27 & 28

N32°W 5.00 In sec. 28
 N462°W 5.50
 N73°W 10.50
 N30°W 6.50
 N11°W 14.50
 N272°W 23.00
 N1°W 7.10 To line between sec. 28 & 29

N292°E 8.50 In sec. 21. River 6.17 M. wide,
 N442°E 7.00
 N51°E 9.00
 N38°E 4.00
 N372°E 7.00
 N192°E 8.00
 N12°W 13.00 To a Branch 6 M. wide on N.E.
 N45°W 20.00
 N22°E 14.17
 N72°E 7.80 To line between sec. 21 & 22

N11°W 9.32 In sec. 16 River 6.48 M. wide
 N252°W 9.00
 N502°W 14.00

Course C. L. Meandering continued.

N37°W 8.50
 N523°W 7.50
 N39°W 10.00
 N172°W 4.00
 N303°W 5.00
 N24°W 12.00
 N43°W 16.50
 N262°W 6.50 at 4 ch. To line between sec. 9 & 10
 & the River 620 M. wide,

N8°W 5.00 In sec. 9
 N102°E 12.80
 N282°E 15.00
 N772°E 5.00
 N582°E 7.88
 N22°E 8.20
 N632°E 5.00
 N37°E 13.00
 N16°W 10.00
 N33°W 5.00
 N44°W 7.00
 N18°W 6.79
 N8°E 5.50
 N41°E 11.00
 N28°E 7.00 at 2.20 M. line between sec. 4 & 9
 River 632 M. wide,

N20°E 48.75 In sec. 4
 N632°E 8.86
 East 11.00
 N75°E 9.00
 N322°E 8.00
 N212°E 9.50
 N3°W 1.00 To a branch 20 M. wide on E.
 N3°W 6.50 To N. boundary of Township

T. 7 N. R. 5 W. 2nd Mer. Ind.

Township 7 North Range 5 West of 2nd
Principal Meridian^{Pa} was surveyed in
the month of November 1814 by
John McDonald Dep. Surveyor.

North Between sections 5 & 6.

40.00 Set of 200. feet in prairie.

no bearings -

78.85 Intersect North boundary 25 lks. W. of
post where set post cor. Loc. 5 & 6 p. wh.
a Hickory 12 in. dia. bear S 8 E 85 lks. dist.

no others given -

This line runs through prairie & farms.

Nov. 23^d 1814. Surveyed by
John McDonald Dep. Sur.
